

SMOBIPLUS






The WORKY range of welding fumes mobile filtering units are very compact and suitable for the extraction and filtration of welding fumes in light and unfrequent applications. The machines are equipped with a fan, a filter battery and a 10' articulated arm to move closer to the work area. The range of WORKY mobile filters SMOBIPLUS has various models according to the type of fumes you have to filter: check the different models available!



A brand of RO & Co S.p.A.
(U.S. BRANCH)
601 Brickell Key Drive
Miami, Florida 33131, USA
Tel. +1 305 (705) 5017
sales@worky-america.com

www.worky-italy.com

SMOBIPLUS-M110V60HZ - technical datasheet



MOTOR

1.1 Kw - 1.5 HP - 110 V - 14.7 A - P+N+T - 60Hz

POS.	DESCRIPTION	CODES
A	METAL MESH PREFILTER	SMOBIP-FILCFM
B	SYNTETHIC PREFILTER	SMOBIP-FILCFW
C	HIGH EFFECENCY FILTER	SMOBIP-FILHT
D	11 lb ACTIVE CARBON	SMOBIP-CA5



" 59 x 31.50 x H 82.68
lb 288.9

Rev.00

09/07/2021

THIS DRAWING IS PROPERTY OF RO & Co S.p.A. THE COMPLETE OR PARTIAL REPRODUCTION OF THIS DOCUMENT IS FORBIDDEN. THE OWNER RESERVES THE RIGHT TO UPDATE, MODIFY OR AMEND ANY SPECIFICATION WITHOUT PRIOR NOTICE.

SMOBIPLUS



700 cfm

Mobile filtering and extracting unit for welding fumes with 10' long arm ø 6". Max airflow of 700 cfm, filtering efficiency of 95% with pocket filters and activated carbons.

SMOBIPLUS	Kw/HP	V	Hz	%	dB	elettr.	Carb
SMOBIPLUS-M11060HZ	1,1/1,5	110	60	95	72	1 ph	11 Lb
SMOBIPLUS-46060HZ	1,1/1,5	460	60	95	72	3 ph	11 Lb

SMOBIPLUS-PACK




Set of 4 spare filters for SMOBIPLUS composed by a metal prefilter, 1 synthetic prefilter, 1 high efficiency filter and a final cell with 11 Lb of activated carbon.

SMOBIPACK	nr. filt.	Carb.
SMOBIPLUS-PACK	4	11 Lb

	FILTERS	%	Carb.
A	FIL-CFM	65	-
B	FIL-CFW	85	-
C	FIL-HT	95	-
D	CA/5	-	11 Lb


SMOBIPLUS-KE



Expulsion kit for the filtered fumes with 33' long flexible hose.


SMOBIPLUS-KE	dim. (mm)	ø Flex.	L. Flex
SMOBIPLUS-KE	24.8" x 21.4" x 5.5"	6"	33'

FIL-CFM




FIL-CFM	description	dim.	%
FIL-CFM	METAL PREFILTER	22.8" x 17.6" x 1.4"	75

FIL-CFW



FIL-CFW	description	dim.	%
FIL-CFW	SYNTHETIC PREFILTER	22.8" x 17.6" x 1.6"	85

FIL-HT



FIL-HT	description	dim.	%
FIL-HT	HI EFFICIENCY FILTER	22.8" x 17.6" x 2.4"	95

CA/5



CA/5	description	dim.	Lb
CA/5	ACTIVATED CARBON FILTER	22.8" x 17.6" x 1.4"	11

